Form	Entity Name		Definition	Data	Data Type	Validation	Repeated		Data	Data	Data	Example	Example	Example
		ID		Type (code)	(description)	Rule	Data	Table	Requirement (Certified Level 1)	Requirement (Certified Level 2)	Requirement (Certified Level 3)	(Certified Level 1)	(Certified Level 2)	(Certified Level 3)
Laboratory result	Laboratory Test Request Performing Laboratory Name		Name of the laboratory which coordinates or produces the laboratory report.	ST	String				M	M	M	Kowloon Bay Clinical Laboratory	Kowloon Bay Clinical Laboratory	Kowloon Bay Clinical Laboratory
Laboratory result	Laboratory Test Request Number		A unique identifier assigned by the Laboratory Information System (LIS) of the performing laboratory to identify the request.	ST	String				М	М	М	11-CC123456	11-CC123456	11-CC123456
Laboratory result	Laboratory Test Request Institution of Participant - code		Identifier of the healthcare organisation of the patient's encounter who created the Laboratory Test Request for the patient at the instance.	CE	Coded element				0	0	М	KH	кн	КН
Laboratory result	Laboratory Test Request Institution of Participant - description		Description of the healthcare organisation of the patient's encounter who created the Laboratory Test Request for the patient at the instance. The [Laboratory Test Request Institution of Participant - description] should match with [Laboratory Test Request Institution of Participant - code].	ST	String				0	0	М	Kowloon Hospital	Kowloon Hospital	Kowloon Hospital
Laboratory result	Laboratory Test Request Institution of Participant - local description		Local description of the healthcare organisation of the patient's encounter who created the Laboratory Test Request for the patient at the instance. The [Laboratory Test Request Institution of Participant - local description] should match with [Laboratory Test Request Institution of Participant - code].	ST	String				M	Μ	M	Kowloon Hospital	Kowloon Hospital	Kowloon Hospital
Laboratory result	Laboratory Test Requesting Doctor		Name of the clinician who has requested the laboratory investigation/s in this section of the laboratory report	ST	String				NA	0	0		Dr. TM Chan	Dr. TM Chan
Laboratory result	Laboratory Test Request Clinical Information		This field contains clinical information about the patient, e.g. clinical findings, or specimen. The information will assist the laboratory to interpret the diagnostic studies.	ST	String				NA	0	0		? Ca Lung Fasting blood sample	? Ca Lung Fasting blood sample
Laboratory result	Panel Local Code		This is the requesting test / profile's abbreviations for the laboratory request, which is issued by the performing laboratory.	ST	String				NA	0	0		RFT	RFT
Laboratory result	Panel Local Description		This is the requesting test or profile description which is issued by the performing laboratory. This field describes the requested observation/test/profile	ST	String				NA	0	М		RFT	RFT
Laboratory result	Laboratory Category Code		eHR value of the "Laboratory Category" code table. A laboratory category code in which the laboratory report was produced.	CE	Coded Element			Laboratory category	М	М	М	CHEM	СНЕМ	СНЕМ

Laboratory result	Laboratory Category Description	eHR description of the "Laboratory Category" code table A laboratory category description in which the laboratory report was produced. The [Laboratory Category Description] should match with [Laboratory Category Code].	ST	String	Laboratory category	Μ	Μ	М	Chemical Pathology Laboratory	Chemical Pathology Laboratory	Chemical Pathology Laboratory
	Laboratory Category Local Description	A laboratory category local description in which the laboratory report was produced. The [Laboratory Category Local Description] should match with [Laboratory Category Code].	ST	String		Μ	Μ	М	Clinical Chemistry Laboraotry	Clinical Chemistry Laboraotry	Clinical Chemistry Laboraotry
Laboratory result	Laboratory Report Status Code	eHR value of the "Laboratory Report Status" code table. Details see Report Status Description	CE	Coded Element	Laboratory report status	Μ	Μ	М	F	F	F
Laboratory result	Laboratory Report Status Description	 eHR description of the "Laboratory Report Status" code table A description of a laboratory report reporting status. The status of the laboratory report, including : Provisional Report (A provisional report is issued when provisional or partial results become available and report is submitted to eHR. A final report will always follow after the provisional report.) Final Report (A completed report for the laboratory request.) Amended Report (An Amended report is issued when the final report of diagnosis or test result(s) have been changed or amended. Amended report includes information with the latest submitted provisional report/final report/supplementary report.) Supplementary Report (A supplementary report is issued when final/amended report has been submitted to eHR. Supplementary report.) The latest submitted provisional report/final report/supplementary report. 	ST	String	Laboratory report status	Μ	Μ	Μ	Final report	Final report	Final report
	Laboratory Report Status Local Description	A local descripiton of a laboratory report reporting status. The [Laboratory Report Status Local Description] should match with [Laboratory Report Status Code].	ST	String		Μ	Μ	М	Final	Final	Final

Laboratory result	Laboratory Report Reference Datetime	The reference date or datetime which is used to determine the display sequence of a specific laboratory report in the eHR. The laboratory reports are displayed in the eHR according to the following rule : i. Specimen collection datetime, if any ii. Specimen Arrival datetime, if any iii. Laboratory Request Registration datetime.	TS	Time Stamp			М	Μ	М	31/01/2011 4:30:00 PM	31/01/2011 4:30:00 PM	31/01/2011 4:30:00 PM
Laboratory result	Laboratory Report Authorized Healthcare Staff Identifier	A unique identifier of the healthcare staff who authorized the laboratory report	CE	Coded element	R		NA	NA	0			CHSML01
Laboratory result	Laboratory Report Authorized Healthcare Staff English Name Prefix	eHR value of the "Healthcare staff English name prefix" code table, to define the prefix of the English name of the healthcare staff who authorized the laboratory report	CE	Coded element	R	Healthcare staff English name prefix	NA	NA	0			P - Prof
Laboratory result	Laboratory Report Authorized Healthcare Staff English Surname	Surname name in English of the healthcare staff who authorized the laboratory report	ST	String	R		NA	0	0		Chan	Chan
Laboratory result	Laboratory Report Authorized Healthcare Staff English Given Name	Given name in English of the healthcare staff who authorized the laboratory report	ST	String	R		NA	0	0		Tai Man	Tai Man
Laboratory result	Laboratory Report Authorized Healthcare Staff Chinese Name	Full name in Chinese of the healthcare staff who authorized the laboratory report. Encoding method: unicode	ST	String	R		NA	0	0		陳大文	陳大文
Laboratory result	Laboratory Report Authorized Healthcare Staff Chinese Name Suffix	eHR value of the "Healthcare staff Chinese name suffix" code table, to define the suffix of the Chinese name of the healthcare staff who authorized the laboratory report	CE	Coded element	R	Healthcare staff Chinese name suffix	NA	NA	0			P - 教授
Laboratory result	Laboratory Report Authorized Datetime	The date or date and time in which the specific version of the laboratory report was authorized, which the report is ready to issue	TS	Time Stamp			NA	0	М		31/01/2011 4:30:00 PM	31/01/2011 4:30:00 PM
Laboratory result	Laboratory Report Comment	This field contains the comment entered for the laboratory report, which the comment is a report base in nature.	ST	String			0	0	0	Clinical Guideline Note: The goal of diabetes therapy should be an HbA1c level of <7%.	Clinical Guideline Note: The goal of diabetes therapy should be an HbA1c level of <7%.	Clinical Guideline Note: The goal of diabetes therapy should be an HbA1c level of <7%.
Laboratory result	Laboratory Report Date	The documentation date of the laboratory report	TS	Time Stamp			0	0	0	06/12/2010	06/12/2010	06/12/2010
Laboratory result	Laboratory Report (PDF)	The PDF document of the Laboratory Report	ED	Encapsulated data			M if [Laboratory Report (Text)] is blank	0	0			
Laboratory result	Laboratory Report (Text)	The free text of the Laboratory Report	ТΧ	Text			M If [Laboratory Report (PDF)] is blank	0	0			

Laboratory result	Specimen Site	This field describes the nature of the site of the specimen, which contains information of the specimen site in free text. For example, an anatomical site 'Left lower lobe', or any specimen qualifier in free text "Red cap of the Hickman line"	ST	String			NA	0	0	Left lower quadrant	Left lower quadrant
Laboratory result	Specimen Type - Recognised Terminology Name	Name of Recognised terminology set for Specimen Type	CE	Coded Element	If eHR value = HKCTT, allowable nature is "Specimen" If eHR value = SNOMED CT, allowable hierarchy is "Specimen"	Recognised terminology name - laboratory specimen	NA	NA	M if [Specimen Type Identifier - Recognised Terminology] is given NA if [Specimen Type Identifier - Recognised Terminology] is blank		SNOMED CT
	Specimen Type Identifier - Recognised Terminology	Unique identifier of Specimen Type in the recognised terminology	CE	Coded Element	[Specimen Type Identifier - Recognised Terminology] should be included in the selected recognised terminology of the "Recognised Terminology Name - Laboratory Specimen" code table.		NA	NA	0		258497007
	Specimen Type Description - Recognised Terminology	Description of Specimen Type in the recognised terminology	CE	Coded Element	[Specimen Type Description - Recognised Terminology] should be matched with the corresponding description of the selected [Specimen Type Identifier - Recognised Terminology]		NA	NA	M if [Specimen Type Identifier - Recognised Terminology] is given NA if [Specimen Type Identifier - Recognised Terminology] is blank		Abscess swab (specimen)
Laboratory result	Specimen Type local code	Local code for the Specimen Type issued by the performing laboratory	ST	String			NA	0	0	 S423	S423

Laboratory result	Specimen Type local description	Local description for the Specimen Type issued by the performing laboratory	ST	String				NA	0	M if [Specimen Type Identifier - Recognised Terminology] is given NA if [Specimen Type Identifier - Recognised Terminology] is blank	Wound Swab	Wound Swab
Laboratory result	Specimen Collection Datetime	The date and time when the specimen was collected.	TS	Time Stamp				NA	0	0	01/04/2012 2:00:00 PM	01/04/2012 2:00:00 PM
Laboratory result	Specimen Arrival Datetime	The specimen arrival date/time is the time that the specimen is received at the laboratory. The actual time that is recorded is based on how specimen receipt is managed and may correspond to the time the sample is logged in. This is different from Specimen-Collect Datetime.	TS	Time Stamp				NA	0	0	01/04/2012 2:00:00 PM	01/04/2012 2:00:00 PM
Laboratory result	Laboratory Test Name - Recognised Terminology Name	Name of Recognised terminology set for General Laboratory Test Name	CE	Coded Elemen	If eHR value = HKCTT, allowable nature is "Lab. Test" If eHR value = LOINC, allowable value is neglected		Recognised terminology name - laboratory test	NA	NA	M		LOINC
	Laboratory Test Name Identifier - Recognised Terminology	Unique identifier of General Laboratory Test Name in the recognised terminology	CE	Coded Elemen	[Laboratory Test Name Identifier - Recognised Terminology] should be included in the selected recognised terminology of the "Recognised Terminology Name - Laboratory Test" code table.	R		NA	NA	M		2823-3

eHR Sharable Data - microbiology (C ST) result

result	Laboratory Test name Description - Recognised Terminology	Description of General Laboratory Test Name in the recognised terminology	CE	Coded Element	[Laboratory Test name Description - Recognised Terminology] should be matched with the corresponding description of the selected [Laboratory Test Name Identifier - Recognised Terminology]	R		NA	NA	Μ		Potassium, Serum or Plasma
Laboratory result	Laboratory Test Name Local Code	Local code for the General Laboratory Test name issued by the performing laboratory	ST	String		R		NA	0	0	к	к
	Laboratory Test Name Local Description	Local description for the General Laboratory Test name issued by the performing laboratory	ST	String		R		NA	М	М	Potassium	Potassium
Laboratory result	Laboratory Test Numeric Result	This field contains the value observed by the performing laboratory in a numerical format.	NM	Numeric		R		NA	M If [General Laboratory Test - Enumerated result AND General Laboratory Test - Text result] is blank	M If [General Laboratory Test - Enumerated result AND General Laboratory Test - Text result] is blank	3.5	3.5
Laboratory result	Laboratory Test Enumerated Result	This field contains the enumerated result identifier by the performing laboratory, for example, - positive, negative - +, ++, +++ - present, absent	ST	String		R		NA	M If [General Laboratory Test - Numeric result result AND General Laboratory Test - Text result] is blank	M If [General Laboratory Test - Numeric result result AND General Laboratory Test - Text result] is blank	Not detected	Not detected
Laboratory result	Laboratory Test Reportable Result	This field contains the reporting result generated by the performing laboratory. It is a string type which is used to facilitate frontend display of all results in eHR.	ST	String		R		NA	М	Μ	>10.0	>10.0
Laboratory result	Detection Limit Indicator Code	eHR value of the "Detection Limit Indicator" code table. This field contains a code from a table lookup indicating whether the result is out of the detection limit of the test. e.g. < Less than; > Greater than	CE	Coded Element		R	Detection limit indicator	NA	0	0	<	<

result	Detection Limit Indicator Description	eHR description of the "Detection Limit Indicator" code table. This field contains a description from a table lookup indicating whether the result is out of the detection limit of the test. The [Detection Limit Indicator Description] should match with [Detection Limit Indicator Code].	ST	String	R	Detection limit indicator	NA	0	0	Less than	Less than
result	Detection Limit Indicator Local Description	This field contains a local description indicating whether the result is out of the detection limit of the test. The [Detection Limit Indicator Local Description] should match with [Detection Limit Indicator Code].	ST	String	R		NA	0	0	<<	~
Laboratory result	Abnormal Result Indicator Code	eHR value of the "Abnormal Result Indicator" code table. This field contains a code from a table lookup indicating the normality status of the result. e.g. L = Low; H = High	CE	Coded Element	R	Abnormal result indicator	NA	0	0	Н	Η
	Abnormal Result Indicator Description	eHR description of the "Abnormal Result Indicator" code table. This field contains a description from a table lookup indicating the normality status of the result. The [Abnormal Result Indicator Description] should match with [Abnormal Result Indicator Code].	ST	String	R	Abnormal result indicator	NA	0	0	High	High
Laboratory result	Abnormal Result Indicator Local Description	This field contains a local descrpition indicating the normality status of the result. The [Abnormal Result Indicator Local Description] should match with [Abnormal Result Indicator Code].		String	R		NA	0	0	нн	HH
Laboratory result	Laboratory Test Result Unit	Local description of the test result unit.	ST	String	R		NA	0	0	mmol/L	mmol/L
	Laboratory Test Reference Range	Information about appropriate reference ranges for the specific result observable	ST	String	R		NA	0	0		LDL-chol (calc) - Acceptable Borderline High <2.8 2.8 - 3.3 >=3.4

Laboratory result	Laboratory Test Text Result	The laboratory test result observable value component in text format	ΤΧ	Text		R		NA	M if [General Laboratory Test - Enumerated result] AND [General Laboratory Test - numeric result] are blank	M if [General Laboratory Test - Enumerated result] AND [General Laboratory Test - numeric result] are blank	Positive result	Positive result
Laboratory result	Laboratory Test Result Note	The note or remark of an individual test for the laboratory report, which it is test result based to give additional note on the test. For example: Sodium test repeated	ST	String		R		NA	0	0	Test repeated	Test repeated
	Microbiology Culture Test - Recognised Terminology Name	Name of Recognised terminology set for Microbiology Culture Test	CE	Coded Element	If eHR value = HKCTT, allowable nature is "Lab. Test" If eHR value = LOINC, allowable value is neglected		Recognised terminology name - laboratory test	NA	NA	M if [Microbiology Culture Test Identifier - Recognised Terminology] is given NA if [Microbiology Culture Test Identifier - Recognised Terminology] is blank		LOINC
Laboratory Result	Microbiology Culture Test Identifier - Recognised Terminology	Unique identifier of Microbiology Culture Test in the recognised terminology	CE	Coded Element	[Microbiology Culture Test Identifier - Recognised Terminology] should be included in the selected recognised terminology of the "Recognised Terminology Name - Laboratory Test" code table.			NA	NA	Μ		625-4

Laboratory Result	Microbiology Culture Test Description - Recognised Terminology	Description of Microbiology Culture Test in the recognised terminology	CE	Coded Element	[Microbiology Culture Test Description - Recognised Terminology] should be matched with the corresponding description of the selected [Microbiology Culture Test Identifier - Recognised			NA	NA	M if [Microbiology Culture Test Identifier - Recognised Terminology] is given NA if [Microbiology Culture Test Identifier - Recognised Terminology] is blank		Bacteria identified in Stool by Culture
Laboratory Result	Microbiology Culture Test Local Code	 Local code for the Microbiology Culture Test issued by the performing laboratory	ST	String	Terminology]			NA	0	0	STL_ORG	STL_ORG
Laboratory Result	Microbiology Culture Test Local Description	Local description for the Microbiology Culture Test issued by the performing laboratory	ST	String				NA	М	M if [Microbiology Culture Test Identifier - Recognised Terminology] is given NA if [Microbiology Culture Test Identifier - Recognised Terminology] is blank	Stool culture	Stool culture
Laboratory Result	Microbiology Culture Finding Text Result	This field contain the laboratory finding of a microbiology culture test in string	ST	String				NA	M if [Organism Local description] is blank	M if [Organism Identifier - Recognised Terminology] is blank	Heavy mixed growth with normal flora	Heavy mixed growth with normal flora
Laboratory Result	Organism - Recognised Terminology Name	Name of Recognised terminology set of Organism	CE		If eHR value = HKCTT, allowable nature is "Organism" If eHR value = SNOMED CT, allowable hierarchy is "Organism"	R	Recognised terminology name - organism	NA	NA	M if [Organism Identifier - Recognised Terminology] is given NA if [Organism Identifier - Recognised Terminology] is blank		SNOMED CT

Laboratory	Organism Identifier - Recognised	Unique identifier of Organism in the recognised	CE	Coded Element	Organism	R	NA	NA	M if		112283007
	Terminology	terminology			Identifier - Recognised Terminology] should be included in the selected recognised terminology of the "Recognised Terminology Name - Organism" code table.	··			[Microbiology Culture Finding - Text Result] is blank		
	Organism Description - Recognised Terminology	Description of Organism in the recognised terminology	CE	Coded Element	[Organism Description - Recognised Terminology] should be matched with the corresponding description of the selected [Organism Identifier - Recognised Terminology]	R	NA	NA	M if [Organism Identifier - Recognised Terminology] is given NA if [Organism Identifier - Recognised Terminology] is blank		Escherichia coli (organism)
Laboratory Result	Organism Local Code	Local code for the organism issued by the performing laboratory	ST	String		R	NA	0	0	EC	EC
Laboratory Result	Organism Local Description	Local description for the organism issued by the performing laboratory	ST	String		R	NA	M if [Microbiology Culture Finding - Text Result] is blank	M if [Organism Identifier - Recognised Terminology] is given NA if [Organism Identifier - Recognised Terminology] is blank	Eschericia coli	Eschericia coli
	Organism Growth Description Text Result	This field contain the growth description of the isolated organism in string	ST	String		R	NA	0	0	Heavy growth	Heavy growth

eHR Sharable Data - microbiology (C ST) result

Result	Susceptibility Test and Related Property - Recognised Terminology Name	Name of Recognised terminology set for Susceptibility Test and Related Property	CE	Coded Element	HKCTT, allowable nature is "Lab. Test" If eHR value = LOINC, allowable value is neglected		Recognised terminology name - laboratory test	NA	NA	M if [Susceptibility Test and Related Property Identifier - Recognised Terminology] is given. NA if [Susceptibility Test and Related Property Identifier - Recognised Terminology] is blank		LOINC
Result	Susceptibility Test and Related Property Identifier - Recognised Terminology	Unique identifier of Susceptibility Test and Related Property in the recognised terminology	CE	Coded Element	[Susceptibility Test and Related Property Identifier - Recognised Terminology] should be included in the selected recognised terminology of the "Recognised Terminology Mame - Laboratory Test" code table	R		NA	NA	0		18860-7
Result	Susceptibility Test and Related Property Description - Recognised Terminology	Description of Susceptibility Test and Related Property in the recognised terminology	CE	Coded Element	Isusceptibility Test and Related Property Description - Recognised Terminology] should be matched with the corresponding description of the selected [Susceptibility Test and Related Property Identifier - Recognised Terminology]	R		NA	NA	M if [Susceptibility Test and Related Property Identifier - Recognised Terminology] is given. NA if [Susceptibility Test and Related Property Identifier - Recognised Terminology] is blank		Amikacin [Susceptibility]

Laboratory S	Susceptibility Test and Related	Local code for the Susceptibility Test and Related	ST	String	R		NA	0	0	AMK	AMK
	Property Local Code	Property issued by the performing laboratory	31	Sung	ĸ		IN/A	0	0		
		A Susceptibility Test and Related Property is considered as a reflex test when pathogenic organism was isolated. Generally, antibiotic susceptibility test/antibiotic									
		sensitivity test are always included.									
		Antibioitc resistant property related test include but not limit to -Double disc synergy testing on extended spectrum beta lactamase production -Cefinase disc detection on production of Beta- lactamase -Antibiotic resistane gene detected by molecular technology									
Laboratory	Susceptibility Test and Related	Local description for the Susceptibility Test and	ST	String	R		NA	0	M if	Amikacin	Amikacin
	Property Local Description	Related Property issued by the performing laboratory	51	Sung	ĸ		INA	0	[Susceptibility Test and Related	Amikacin	Amikacin
		A Susceptibility Test and Related Property is considered as a reflex test when pathogenic organism was isolated. Generally, antibiotic susceptibility test/antibiotic sensitivity test are always included.							Property Identifier - Recognised Terminology] is given.		
		Antibioitc resistant property related test include but not limit to							NA if [Susceptibility Test and		
		-Double disc synergy testing on extended spectrum beta lactamase production -Cefinase disc detection on production of Beta- lactamase -Antibiotic resistane gene detected by molecular							Related Property Identifier - Recognised Terminology] is		
		technology							blank		
	Susceptibility Test and Related Property Result Code	eHR value of the "Susceptibility Test and Related Property Result " code table	CE	Coded Element		Susceptibili ty test and related property result	NA	NA	M if [Susceptibility Test and Related Property Identifier -		I
									Recognised Terminology] is given NA if		
									[Susceptibility Test and Related Property		
									Identifier - Recognised Terminology] is blank		

Laboratory Result	Susceptibility Test and Related Property Result Description	eHR description of the "Susceptibility Test and Related Property Result " code table The [Susceptibility Test and Related Property Result Description] should match with [Susceptibility Test and Related Property Result Code].	ST	String	R	Susceptibili ty test and related property result	NA	NA	M if [Susceptibility Test and Related Property Result Code] is given		Internediate
Laboratory Result	Susceptibility Test and Related Property Result Local Description	Local description of Susceptibility Test and Related Property result A Susceptibility Test and Related Property must had a interperted result and should be reported in together The [Susceptibility Test and Related Property Result Local Description] should match with [Susceptibility Test and Related Property Result Code].	ST	String	R		NA	0	M if [Susceptibility Test and Related Property Result Code] is given	Moderate	Moderate

Healthcare Staff English Name Prefix Purpose : Title to address the healthcare staff in English Reference : OGCIO

Term ID	eHR Value	eHR Description
	Prof	Professor
	Dr	Doctor

Healthcare staff Chinese Name Suffix Purpose : title to address the healthcare staff in Chinese Reference : OGCIO

Term ID	eHR Value	eHR Description
	教授	教授
	醫生	醫生
	醫師	醫師

Laboratory category table Purpose: To indicate the performing laboratory category Reference: HA

Term ID	eHR Value	eHR Description
	CHEM	Chemical Pathology Laboratory
	HAEM	Haematology Laboratory
	IMMUN	Immunology Laboratory
	MICRO	Microbiology Laboratory
	VIRO	Virology Laboratory
	PATH	Anatomical Pathology Laboratory
	TRL	Toxicology Reference Laboratory
	BLDBK	Blood Bank
	T&I	Transplantation & Immunogenetic Laboratory
	MOLPATH	Molecular Pathology Laboratory
	LAB	Clinical Laboratory

Laboratory report status Purpose: To indicate the laboratory report reporting status Reference: HA

Term ID	eHR Value	eHR Description
	Р	Provisional/Preliminary report
	F	Final report
	A	Amended report
	S	Supplementary report

Abnormal result indicator table

Purpose: To indicate the laboratory test numeric result that is above or below the reference range of the test Reference: HA

Term ID	eHR Value	eHR Description
	L	Low
	Н	High

Detection limit indicator table

Purpose: To indicate the laboratory test numeric result that is less than or greater than the detection limit of the test Reference: HA

Remark: Previouly called Out of range result indicator

Term ID	eHR Value	eHR Description
	<	Less than
	>	Greater than

Susceptibility test and related property test result

Purpose: To indicate the result of antibioitc susceptibility test and related property of the isolated organism Reference: HA

Term ID	eHR Value	eHR Description
	S	Sensitive
	I	Intermediate
	R	Resistant
	Р	Positive
	N	Negative
	U	Indetermine

Recognised terminology name - laboratory specimen

Purpose: to define the names of the recognised terminology for laboratory specimen

Term I	ID eHR Value	eHR Description	Allowable Values
	HKCTT	Hong Kong Clinical Terminology Table	Nature = Specimen
	SNOMED CT	Systematized Nomenclature of Medicine - Clinical	Hierarchy = Specimen

Recognised terminology name - laboratory test

Purpose: to define the names of the recognised terminology for laboratory tests

Term ID	eHR Value	eHR Description	Allowable Values
	HKCTT	Hong Kong Clinical Terminology Table	Nature = Laboratory Test
	LOINC	Logical Observation Identifiers Names and Codes	All values

Recognised terminology name - organism

Purpose: to define the names of the recognised terminology for organism

Term ID eHR Value		eHR Description	Allowable Values	
	HKCTT	Hong Kong Clinical Terminology Table	Nature = Organism	
	SNOMED CT	Systematized Nomenclature of Medicine - Clinical	Hierarchy = Organism	